

# Work Order ID 71712

Thursday, July 07, 2011 1:00:07 PM



Page 1

Item ID: D2565-209

Accept



Setup Start



Revision ID:

Item Name: Strut

Stop



Start Date: 7/7/2011 Start Qty: 6.00



Cust Item ID:

Required Date: 7/21/2011 Req'd Qty: 6.00



Customer:

Reference:

Approvals: Process Plan: CL

Date: 11/07/07

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



| Sequence ID/<br>Work Center ID | Operation<br>Description | Set Up/<br>Run Hours | Tool ID | Tool # | Plan<br>Code | Accept<br>Qty | Reject<br>Qty | Reject<br>Number | Insp.<br>Stamp |
|--------------------------------|--------------------------|----------------------|---------|--------|--------------|---------------|---------------|------------------|----------------|
|--------------------------------|--------------------------|----------------------|---------|--------|--------------|---------------|---------------|------------------|----------------|

| Draw Nbr | Revision Nbr |
|----------|--------------|
| D2565    | Rev E        |

100  
 NC BRAKE 0.00  
 Brake NC Memo 0.00  
 Brake NC Punch as per Dwg D2565 using DT 8313

SB 11/09/13

6

110  
 Small Fab 0.00  
 Small Fab Memo 0.00  
 Small Fab Deburr

SB 11/10/05 6

120  
 QC5- Inspect part completeness to step on W/O 0.00  
 QC Memo 0.00  
 Quality Control

SB 11/10/05

6

| W/O: |      | WORK ORDER CHANGES |    |      |     |                                     |                          |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE   | By | Date | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|      |      |                    |    |      |     |                                     |                          |
|      |      |                    |    |      |     |                                     |                          |

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                             |                                 |                |                           |                       |                          |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng        | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |

**NOTE:** Date & initial all entries



| W/O: |      | WORK ORDER CHANGES |    |      |     |                                     |                          |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE   | By | Date | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|      |      |                    |    |      |     |                                     |                          |
|      |      |                    |    |      |     |                                     |                          |

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                             |                                 |                |                           |                       |                          |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng        | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |

**NOTE:** Date & initial all entries

**Work Order ID 71712**

Thursday, July 07, 2011 1:00:07 PM



Page 3

Item ID: D2565-209

Accept



Setup Start



Revision ID:

Stop



Item Name: Strut

Start Date: 7/7/2011 Start Qty: 6.00



Cust Item ID:

Required Date: 7/21/2011 Req'd Qty: 6.00



Customer:

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Run Start



Stop

Sequence ID/  
Work Center IDOperation  
DescriptionSet Up/  
Run Hours

Tool ID

Tool #

Plan  
CodeAccept  
QtyReject  
QtyReject  
NumberInsp.  
Stamp

160

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

11/10/11  
JME 11-10-11

| W/O: |      | WORK ORDER CHANGES |    |      |     |                                     |                          |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE   | By | Date | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|      |      |                    |    |      |     |                                     |                          |
|      |      |                    |    |      |     |                                     |                          |

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                             |                                 |                |                           |                       |                          |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng        | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |

**NOTE:** Date & initial all entries

# Picklist Print

Thursday, July 07, 2011 1:00:05 PM

Page 1

Work Order ID: 71712

Parent Item: D2565-209

Parent Item Name: Strut



Start Date: 7/7/2011

Required Date: 7/21/2011

Start Qty: 6.00

Required Qty: 6.00

Comments: IPP: D□01.06.04□Added Powder Coat, Removed Polish, and Added Inspection Levels 3 & 21□EC□

| Component Item ID/<br>Item Name | Replacement<br>Item ID | Mfg/<br>Purch | Bin<br>Item | Primary<br>Location | Last<br>Location | Route<br>Seq ID | Unit of<br>Measure | Qty on<br>Hand | Qty per Kit | Total<br>Qty | Qty<br>Issued | Date<br>Issued | Status |
|---------------------------------|------------------------|---------------|-------------|---------------------|------------------|-----------------|--------------------|----------------|-------------|--------------|---------------|----------------|--------|
|---------------------------------|------------------------|---------------|-------------|---------------------|------------------|-----------------|--------------------|----------------|-------------|--------------|---------------|----------------|--------|

M304TR0.750W.049

Purchased

No

100

f

238.7586

1.2833

8.105053



SB 11/02/13

304 RD Tube .750 x .049W

## Location

## Loc Qty

## Loc Code

MAT017

238.75863

109314

9.333

111619

3

112187

4

112800

11

114852

2.75

116108

3

116720

1.833

117030

3.09263

117797

0.75

117983

200

12

| W/O: |      | WORK ORDER CHANGES |    |      |     |                                     |                          |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE   | By | Date | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|      |      |                    |    |      |     |                                     |                          |
|      |      |                    |    |      |     |                                     |                          |

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                             |                                 |                |                           |                       |                          |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng        | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |


NOTE: Date & initial all entries





|                  |          |  |                        |
|------------------|----------|--|------------------------|
| DESIGN           | DRAWN BY | <b>DART AEROSPACE LTD</b><br>HAWKESBURY, ONTARIO, CANADA |                        |
| CHECKED          | APPROVED | DRAWING NO.<br>D2565                                     | REV. E<br>SHEET 1 OF 1 |
| DATE<br>04.05.05 |          | TITLE<br>STRUT   | SCALE<br>1:3           |
| A                | 96.05.03 | NEW ISSUE  |                        |
| B                | 97.03.15 | CORRECT D2565-111 DIM. A                                 |                        |
| C                | 98.10.05 | UPDATED MATERIAL NOTE (TSR A603)                         |                        |
| D                | 02.06.05 | ADD -3XX PARTS; ADD FINISH                               |                        |
| E                | 04.05.05 | ADD D2565-401-411; RMV ANGLE D                           |                        |

RELEASED  
04.05.05



DIA 0.257 TO BE PUNCHED  
"C" DIA TO BE OPENED MANUALLY  
PUNCH ENDS PER SPEC CONTROL DRAWING D2638

| PART #    | A     | B     | DIA C |
|-----------|-------|-------|-------|
| D2565-101 | 20.52 | 19.72 | 0.316 |
| D2565-103 | 18.21 | 17.41 | 0.316 |
| D2565-105 | 20.19 | 19.39 | 0.316 |
| D2565-107 | 13.43 | 12.63 | -     |
| D2565-109 | 12.31 | 11.51 | -     |
| D2565-111 | 13.65 | 12.85 | -     |
| D2565-201 | 22.79 | 22.00 | 0.316 |
| D2565-203 | 20.75 | 19.95 | 0.316 |
| D2565-205 | 21.22 | 20.42 | 0.316 |
| D2565-207 | 16.07 | 15.27 | -     |
| D2565-209 | 15.16 | 14.36 | -     |
| D2565-211 | 14.14 | 13.34 | -     |
| D2565-301 | 27.03 | 26.23 | 0.316 |
| D2565-303 | 25.34 | 24.54 | 0.316 |
| D2565-305 | 23.73 | 22.93 | 0.316 |
| D2565-307 | 20.86 | 20.06 | -     |
| D2565-309 | 20.17 | 19.37 | -     |
| D2565-311 | 16.30 | 15.50 | -     |
| D2565-401 | 18.29 | 17.49 | 0.316 |
| D2565-403 | 15.64 | 14.84 | 0.316 |
| D2565-405 | 19.45 | 18.65 | 0.316 |
| D2565-407 | 10.79 | 9.99  | -     |
| D2565-409 | 9.34  | 8.54  | -     |
| D2565-411 | 13.81 | 13.01 | -     |

#### GENERAL NOTES

- 1) MATERIAL: AISI 304/316/318 SS 0.750 OD X 0.049 WALL  
(REF DART SPEC. M304TR0.750W0.049)  
ENSURE SEAMLESS TUBE IS USED
- 2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3
- 3) TOLERANCES PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.